

**Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims**

1. (Currently Amended) A method for generating computer executable code, comprising:

creating a data set by modifying a comments portion of a program, wherein said modifying comprises activating a user-selectable link embedded within the comments portion; and

inserting the data set into an applications program to form the computer executable code.

2. (Currently Amended) The method as recited in claim 1, wherein said creating comprises displaying a link within a line of text preceded by a comments designator.

3. (Original) The method as recited in claim 1, wherein said creating comprises displaying a window containing the comments portion and the data set.

4. (Currently Amended) The method as recited in claim 21, wherein said modifying comprises directing an on-screen pointer to the link and actuating a pointer device that is communicable with the on-screen pointer.

5. (Original) The method as recited in claim 1, wherein said modifying comprises:

initiating a pull-down menu;

directing a pointer to items shown on the pull-down menu; and

actuating a pointer device electrically coupled to the on-screen pointer.

6. (Original) The method as recited in claim 1, wherein said creating comprises setting byte fields within the data set for defining an electrical waveform.

7. (Original) The method as recited in claim 1, wherein said creating comprises setting waveform descriptor commands of a programmable interface circuit.

8. (Previously Presented) A computer-usable carrier medium comprising a computer program, wherein the computer program comprises:

a first text preceded by a comments designator and succeeded by at least one link word that is adapted for modification by an on-screen pointer; and

a second text displayed on a display device along with the first text for presenting a data set that changes dependent on modification to the link word by the on-screen pointer or by modification of the data set.

9. (Previously Presented) The computer-usable carrier medium as recited in claim 8, wherein the link word and the data set reside within a single window for display upon the display device, and wherein the single window is accessible by a pointer device linked to the on-screen pointer via a graphical user interface.

10. (Previously Presented) The computer-usable carrier medium as recited in claim 8, wherein the link word and the data set reside within two separate windows for display upon the display device, and wherein the two separate windows are accessible by a pointer device linked to the on-screen pointer via a graphical user interface.

11. (Previously Presented) The computer-usable carrier medium as recited in claim 10, wherein the two separate windows are adapted for concurrent display upon the display device.

12. (Previously Presented) The computer-usable carrier medium as recited in claim 8, wherein the data set is linked to an applications program to form computer executable code.

13. (Previously Presented) The computer-usable carrier medium as recited in claim 8, wherein the data set comprises several grouping of fields that define a waveform output for a programmable device.

14. (Previously Presented) The computer-readable carrier medium as recited in claim 8, wherein the data set comprises several grouping of fields that define address, data, control and timing signals sent from a programmable interface to a peripheral device.

15. (Original) An apparatus for generating programmable signals, comprising:

a compiler for generating a data set containing at least one field of bits in response to user-activation of a link within a comments portion of a program; and

hardware for generating programmable signals in response to the field of bits.

16. (Original) The apparatus as recited in claim 15, wherein the link is accessible by a user via a graphical user-interface.

17. (Original) The apparatus as recited in claim 15, wherein the data set is linked to an applications program to form computer executable code operable upon the hardware for generating the signals.

18. (Original) The apparatus as recited in claim 15, wherein the data set and the comments portion of the program are depicted upon a screen of a display device.

19. (Original) The apparatus as recited in claim 15, wherein the link comprises at least one word located on the same line as text that follow a comments designator.

20. (Original) The apparatus as recited in claim 19, wherein the comments designator notes the corresponding line of text as non-executable words separate and distinct from lines of program commands.